



REQUEST FOR QUOTATION

Date: August 26, 2026

The **Camarines Sur IV Electric Cooperative, Inc.**, through its Bids and Awards Committee (BAC), intends to procure the **Acquisition of One (1) Unit Server CPU** with an approved budget for the contract of **Five Hundred Thousand Pesos (Php 500,000.00)** through **Alternative Mode of Procurement – Simplified Bidding (Sealed Canvass)** of the 2017 Revised Procurement Guidelines and Simplified Bidding Procedures for Electric Cooperatives IRR-RA 10531 and RA 12009: New Government Procurement Act.

Please submit your duly signed quotation addressed to the Bids and Awards Committee (BAC) Chairperson and to the given address below, on or before **1:00 PM of September 9, 2026**, subject to compliance with the Terms and Conditions provided on this Request for Quotation (RFQ):

RUSSELL JAMES G. SERRANO

Chairperson, Bids and Awards Committee

Camarines Sur IV Electric Cooperative, Inc. (CASURECO IV)

Brgy. Talojongan, Tigaon, Camarines Sur

Telephone No.: (051) 881-9394

Email: casureco4_bactwg@yahoo.com

Interested suppliers shall submit the hard copy of their quotations in one (1) mother envelope that contains two (2) separate folders on or before the above-mentioned deadline of submission. Folder 1 should contain a copy of your **Company Profile, Business/Mayor's Permit, Income/Business Tax Return, and Omnibus Sworn Statement** and Folder 2 should contain the **quotation in the provided format and/or your preferred format consisting all required details**.

Quotations may be submitted through electronic mail, provided that the submitted PDF files are password-protected.

The Head of the Procuring Entity (HoPE) of the CASURECO IV reserves the right to reject any and all quotations, declare a failure of procurement, or not award the contract at any time prior to contract award in accordance with the 2017 Revised Procurement Guidelines and Simplified Bidding Procedures for Electric Cooperatives IRR-RA 10531 and/or Section 70 of the RA 12009 New Government Procurement Act, without thereby incurring any liability to the affected bidder or bidders.

For any clarification, you may contact the BAC Secretariat at **09099416935** or send email to casureco4_bactwg@yahoo.com.

RUSSELL JAMES G. SERRANO

Chairperson, Bids and Awards Committee



CASURECO IV Official



(054) 881-9394 loc # 110 - 111



cs4ec77@yahoo.com

INSTRUCTIONS:

Note: Failure to follow these instructions will disqualify your entire quotation.

- (1) Do not alter the contents of this form in any way.
- (2) The use of this RFQ is **highly encouraged** to minimize errors or omissions of the required mandatory provisions. In case of any changes, bidders must use or refer to the latest version of the RFQ, except when the latest version of the RFQ **only** pertains to deadline extension.

If another form is used other than the latest RFQ, the quotation shall contain all the mandatory requirements/provisions including manifestation on the agreement with the Terms and Conditions below.

In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered unless there will be discrepancies. In this case, provisions in the RFQ shall prevail.
- (3) **All technical specifications must be complied with.** Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.
- (4) Quotations may be submitted through electronic mail at casureco4_bactwg@yahoo.com, provided that the submitted PDF files are password-protected.
- (5) Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the e-mail shall be considered.

TERMS AND CONDITIONS:

1. Bidders shall provide correct and accurate information required in this form.
2. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
3. Price quotation/s must be valid for a period of **FORTY-FIVE (45) calendar days** from the deadline of submission.
4. Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable.
5. Quotations exceeding the Approved Budget for the Contract shall be rejected.
6. In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the CASURECO IV shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider.
7. Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
8. The item/s shall be delivered according to the accepted offer of the bidder.
9. Item/s delivered shall be inspected on the scheduled date and time of the CASURECO IV. The delivery of the item/s shall be acknowledged upon the delivery to confirm the compliance with the technical specifications.
10. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e., Sales Invoice and/or Billing statement, by the supplier, contractor, or consultant. Instruction to deposit payment, if any, should be forwarded by the supplier, contractor or consultant to CASURECO IV containing details on depository bank, account name and account number. Such deposit will be subject to CASURECO IV's Servicing Bank's (i.e. Land Bank of the Philippines) check clearing process. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the account of the supplier, contractor, or consultant.
11. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The CASURECO IV may terminate the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
12. The Procuring Entity may cancel or terminate the contract at any time in accordance with the grounds provided under 2017 Revised Procurement Guidelines and Simplified Bidding Procedures for Electric Cooperatives IRR-RA 10531 and/ or RA 12009 New Government Procurement Act.
13. The RFQ, Purchase Order (PO), and other related documents for the above-stated Procurement projects shall be deemed to form part of the contract.

After having carefully read and accepted the Instructions and Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

Acquisition of One (1) Unit Server CPU			
Minimum Technical Specifications	Quantity	Offered Technical Specification/Service	Statement of Compliance ("Comply" or "Not Comply")
Note: Non-compliance with the minimum required specifications shall be rejected.			
(Name of the Project): Acquisition of One (1) Unit Server CPU	1 unit		
I. Technical Requirements:			
Processor -One Intel® Xeon® 6 E-core processor with up to 144 cores -One Intel® Xeon® 6 P-core processor with up to 86 cores with R1S option			
Memory -16 DDR5 DIMM slots, speeds up to 6400 MT/s -One Intel® Xeon® 6 E-core processor - supports RDIMM 1 TB max -One Intel® Xeon® 6 P-core processor with up to 86 cores with R1S option - supports RDIMM 4 TB max* -Supports registered ECC DDR5 DIMMs only Supports registered ECC DDR5 DIMMs only			
Storage controllers -Internal Controllers (RAID): PERC H365i DC-MHS, PERC H965i DC-MH, PERC H365i Adapter PERC H965i Adapter -Internal Boot: Boot Optimized Storage Subsystem (BOSS-N1 DC-MHS), M.2 interposer with up to 2 x M.2 NVMe SSDs*, USB -External Controllers: PERC H965e*, HBA 465e*			
Drive Bays Front bays: Up to 12 x 3.5-inch SAS (HDD) RAID max 288 TB Up to 12 x 3.5-inch SAS/SATA (HDD) RAID max 288 TB* Up to 8 x 2.5-inch NVMe (SSD) RAID max 122.88 TB Up to 8 x 2.5-inch NVMe (SSD) max 122.88 TB Up to 8 x 2.5-inch SAS/SATA (HDD/SSD) max 30.72 TB Up to 8 x 2.5-inch SAS/SATA/Universal (HDD/SSD) max 122.88 TB* Up to 16 x 2.5-inch SAS/SATA (HDD/SSD) RAID max 61.44 TB Up to 24 x 2.5-inch SAS4/SATA (HDD/SSD) max 92.16 TB* Up to 8 x EDSFF E3.S (hot-aisle) Gen5 NVMe max 122.88 TB* Up to 8 x EDSFF E3.S (cold-aisle) Gen5 NVMe 122.88 TB Up to 16 x EDSFF E3.S (cold-aisle) Gen5 NVMe max 245.76 TB* Up to 16 x EDSFF E3.S (hot-aisle) Gen5 NVMe max 245.76 TB* Up to 32 x EDSFF E3.S (hot-aisle) Gen5 NVMe max 491.52 TB*			

Rear bays: Up to 4 x EDSFF E3.S Gen5 NVMe max 61.44 TB			
Power Supplies -800 W Platinum/Titanium 100-240 VAC or 240 HVDC, hot swap redundant -1100 W Platinum/Titanium 100-240 VAC or 240 HVDC, hot swap redundant -1500 W Titanium 100-240 VAC or 240 HVDC, hot swap redundant -1500 W 277 Vac and HVDC Titanium, hot swap redundant* -1400 W -48 VDC, hot swap redundant*			
Fans -Up to six hot plug fans			
Dimensions Height – 86.8 mm (3.42 inches) Width – 482.0 mm (18.98 inches) Depth – 802.38 mm (31.59 inches) with bezel Depth – 801.49 mm (31.55 inches) without bezel Depth (Cold aisle/Front I/O Configuration) – 814.5 mm (32.06 inches) without bezel			
Form Factor -2U rack server			
Embedded Management -iDRAC -iDRAC Direct -iDRAC RESTful API with Redfish -RACADM CLI -iDRAC Service Module (iSM)			
Security -Cryptographically signed firmware -Data at Rest Encryption (SEDs with local or external key mgmt) -Secure Boot -Secured Component Verification (Hardware integrity check) -Secure Erase -Silicon Root of Trust -System Lockdown -TPM 2.0 FIPS, CC-TCG certified -Chassis Intrusion Detection			
GPU Options -Up to 3 x 400W DW*; Up to 4 x 75W SW			
Ports Front Ports -1 x USB 2.0 Type-C (HOST/BMC Direct) -1 x USB 2.0 Type-A (optional LCP - Secondary KVM) -1 x Mini DisplayPort (optional LCP - Secondary KVM) -1 x DB9 Serial (with front I/O configuration)			

-1 x Dedicated BMC Ethernet port (with front I/O configuration) Rear Ports -1 x Dedicated BMC Ethernet port -2 x USB 3.1 Type-A -1 x VGA Internal Port -1 x USB 3.1 Type-A			
PCIe -Up to six PCIe slots* (x16 connector) -Slot 2: 1 x16 Gen5 Full Height, Half Length or 1 x16 Full Height, Full Length* -Slot 3: 1 x16 Gen5 Full Height, Half Length -Slot 4: 1 x16 Gen5 Full Height, Half Length* or 1 x16 Full Height, Full Length* or 1 x16 OCP3.0 -Slot 6: 1 x4 Gen4 Boss (optional) -Slot 7: 1 x16 Gen5 Full Height, Half Length or 1 x16 Full Height, Full Length* -Slot 9: 1 x16 Gen5 Full Height, Half Length -Slot 10: 1 x16 OCP3.0 -Slot 31: 1 x16 Gen5 Full Height, Half Length -Slot 34: 1 x16 OCP3.0 or 1 x4 Gen4 Boss (optional) -Slot 36: 1 x16 Gen5 Full Height,			
Gen5 PCIe slots - 4			
OCP Network options -Up to two OCP NIC card 3.0: Two slots on the front or two slots on the rear (optional)			
Embedded NIC -1 Gb dedicated BMC Ethernet port			
Operating System and Hypervisors -Canonical Ubuntu Server LTS -Microsoft Windows Server with Hyper-V -RedHat Enterprise Linux -SUSE Linux Enterprise Server -VMware ESXi			
Cooling Options: Air cooling			
II. Other requirements:			
III. Delivery Requirements:			
30 days upon receipt of Purchase Order			
IV. Warranty: 1 year			
V. Payment Terms:			
Within 30 days upon receipt of Sales Invoice			

FINANCIAL OFFER:**Terms of Payment:**

Payment shall be made through _____, within _____
(____) days after receipt of billing. In case of accounts maintained in other bank, bank transfer fees shall be chargeable against the creditor's account.

Payment Details:

Banking Institution: _____

Account Number: _____

Account Name (should be the exact account name as registered in the bank):

Bank Branch: _____

Please quote your **best offer** for the item/s below. Please do not leave any blank items. Indicate "0" if item being offered is for free.

Acquisition of One (1) Unit Server CPU	
Approved Budget for the Contract	Total Offered Quotation (Inclusive of VAT)
Five Hundred Thousand Pesos (Php 500,000.00)	In words:

	In figures:

Signature over Printed Name

Position/Designation

Office Telephone/Fax/Mobile Nos.

Email address/es